

## High Performance Wireless<sup>1</sup> Photo All-In-One Featuring the Intelligent Touch System, Gray Ink and Built-In Auto Duplex Printing.

- The Intelligent Touch System allows you to effortlessly operate your machine with gorgeous touch sensitive buttons
- Six individual ink system featuring gray ink for professional looking black & white photos
- Full HD Movie Print software turns your favorite HD movie clips captured with your compatible Canon EOS Digital SLR or PowerShot cameras into beautiful prints<sup>2</sup>
- Professional color adjustment feature with the included Easy-PhotoPrint Pro software
- Built-in CD/DVD Printing
- Keep it eco-conscious: Built-in 2-sided printing helps the environment and can cut your paper usage by up to 50%



### FEATURES

#### SPEED & QUALITY

**9600 dpi<sup>3</sup>**  
Maximum

**1 pl**  
Technology

**6 Individual Inks**

**Approx.  
12.5 ipm  
Black ipm**  
ESAT<sup>4</sup>

**Approx.  
9.3 ipm  
Color ipm<sup>4</sup>**  
FCOT<sup>4</sup>

**Approx.  
14 Sec  
Color<sup>4</sup>**  
FCOT<sup>4</sup>


**SCAN  
4800×4800 dpi<sup>5</sup>**

**ChromaLife 100+<sup>6</sup>**

#### EASE OF USE



#### CONNECTIVITY



**Camera  
Phone  
Printing<sup>9,10</sup>**



**Bluetooth<sup>10</sup>  
(Optional)**



**Hi-Speed  
USB**



## TECHNICAL SPECIFICATIONS

## PRINT

## Print Features

Auto Duplex Print, Auto Photo Fix II, Borderless Printing<sup>7</sup>, Calendar Print, CD/DVD Printing, Document Printing, Full HD Movie Print<sup>2</sup>, Fun Filter Effects, Grayscale Printing, ID Photo Print, Smartphone Photo Printing, Photo Index Sheet, Photo Direct Print (Memory Card/Camera/USB Flash Memory), Photo Printing, Template Print, Quiet Mode, Wireless Printing<sup>1</sup>

Print Speed<sup>4,5</sup>

4" x 6" Borderless Photo:	Approx. 20 seconds
ESAT (Black)	Approx. 12.5 ipm
ESAT (Color)	Approx. 9.3 ipm

## Number of Nozzles

Color: 5,632 / Black: 512 / Total: 6,144

## Picoliter Size (Color)

1, 2 and 5

Print Resolution<sup>3</sup>

Color:	Up to 9600 x 2400 dpi
Black:	Up to 600 x 600 dpi

## Paper Sizes

4" x 6", 5" x 7", 8" x 10", Letter, Legal, U.S. #10 Envelopes

## Media Compatibility

**Plain:** Plain Paper, Canon High Resolution Paper; **Super High Gloss:** Photo Paper Pro Platinum; **Glossy:** Photo Paper Plus Glossy II, Photo Paper Glossy; **Semi-Gloss:** Photo Paper Plus Semi-Gloss; **Matte:** Canon Matte Photo Paper; **Fine Art:** Canon Fine Art Paper "Photo Rag"™; **Envelope:** U.S.# 10 Envelope; **CD/DVD:** Printable Disc

## Paper Tray Capacity (Plain Paper)

Auto Sheet Feeder: 150 Sheets      Cassette: 150 Sheets

## COPY

## Copy Features

4-in-1 / 2-in-1, Auto Duplex Copy, Auto Exposure/Intensity Copy, Face Brightener/Fading Correction, Fit-to-Page, Gutter Shadow Correction Copy, Image Repeat, Intensity, Manual Color Adjustment, CD/DVD Label Copy, Masking Copy, Multiple Copy: 1-99 Pages, Photo Reprint, Preset Copy Ratios, Trimming Copy, Zoom

Copy Speed<sup>4</sup>

FCOT(Color)	Approx. 14 seconds
-------------	--------------------

## Reduction/Enlargement

25% – 400%

## SCAN

## Scan Features

Auto Document Fix, Auto Scan Mode<sup>13</sup>, Gutter Shadow Correction, Network Scan, Push Scan, Scan to Memory, Wireless Scanning

## Scanner Type

Flatbed

## Scanning Method

Contact Image Sensor (CIS)

Scanning Resolution<sup>14</sup>

4800 x 4800 (Optical), 19,200 x 19,200 dpi (Interpolated)

## Maximum Color Depth

48-bit internal/24-bit external

## Maximum Document Size

8.5" x 11.7"

## GENERAL

## Standard Interface

Wireless LAN (IEEE 802.11b/g/n)<sup>1</sup>

Ethernet

Hi-Speed USB

Card Slots (See Memory Card Support)

PictBridge (Cable not included)

Bluetooth® v2.0<sup>10</sup> (Optional)

Memory Card Support<sup>8</sup>

SD™ Memory Card, SDHC™

MultiMediaCard®

MultiMediaCard® Plus

miniSD™ Card, miniSDHC™

microSD™ Card, microSDHC™

RS-MMC™

USB flash memory<sup>15</sup>

CompactFlash® Card

Microdrive®

Memory Stick®

Memory Stick PRO™

Memory Stick Duo™

Memory Stick PRO Duo™

Memory Stick Micro

xD-Picture Card®

xD-Picture Card® (Type M)

xD-Picture Card® (Type H)

## General Features

Intelligent Touch System, Wi-Fi LED, 2-Way Paper Feeding, 3.0" LCD, ECO Monitor, Auto Sheet Feeder, D.C.G.P.T, Scroll Wheel, Ethernet, Self-Opening Paper Output Tray, PIXMA Cloud Link, Quick Access UI, Quick Start

OS COMPATIBILITY<sup>16</sup>

Windows® 7, Windows Vista®, Windows XP and Mac OS® X v10.4.11 to v10.6.x

## SOFTWARE (WINDOWS/MAC)

Setup Software & User's Guide CD-ROM

PIXMA MG6220 Printer Driver

Easy-PhotoPrint EX

Easy-Photo Print Pro<sup>17</sup>

Easy-WebPrint EX<sup>18</sup>

Full HD Movie Print

MP Navigator EX

Solution Menu EX

WARRANTY<sup>19</sup>

**1-year limited warranty** with InstantExchange Program. 1-year toll-free technical phone support.

## BOX CONTENTS

PIXMA MG6220 Wireless Inkjet Photo All-In-One

CD/DVD Printing Tray

Document Kit:

Cross Sell Sheet

Getting Started

Important Information Sheet

Networking Troubleshooting Guide

Safety Environment Information

Setup Software & User's Guide CD-ROM

Warranty Card

Ink Tanks:

PGI-225 Pigment Black

CLI-226 (Cyan/Magenta/Yellow/Black/Gray)

Power Cord

Print Head




**PIXMA MG6220**  
Wireless Inkjet Photo All-In-One

**ORDERING INFORMATION**

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE
PIXMA MG6220	Wireless Inkjet Photo All-In-One	5292B002	 0 13803 13653 1
<b>COMPATIBLE INK</b>			
PGI-225 Black Twin PK	2 Pigment Black Ink Value Pack	4530B007	 6 60685 02313 0
PGI-225PGBK/CLI-226 4PK	PGBK/C/M/Y Value Pack	4530B008	 6 60685 02314 7
CLI-226 Color 4PK Combo	BK/C/M/Y + PP-201 Combo Pack	4546B007	 6 60685 02317 8
CLI-226 3PK	C/M/Y Value Pack	4547B005	 6 60685 03934 6
PGI-225 PGBK	Pigment Black Ink Tank	4530B001	 0 13803 12426 2
CLI-226 C	Cyan Ink Tank	4547B001	 0 13803 12430 9
CLI-226 M	Magenta Ink Tank	4548B001	 0 13803 12428 6
CLI-226 Y	Yellow Ink Tank	4549B001	 0 13803 12431 6
CLI-226 BK	Black Ink Tank	4546B001	 0 13803 12427 9
CLI-226 GY	Gray Ink Tank	4550B001	 0 13803 12432 3
<b>ACCESSORIES</b>			
BU-30	Bluetooth Adapter	2553B002	 0 13803 09069 7

**FOR REFERENCE ONLY**



**PALLET INFORMATION**

ORIGIN	
Country of Origin	Thailand
Tariff Number	8443310000
PRODUCT INFORMATION	
Individual Printer Dimensions	18.5" (L) x 14.5" (W) x 6.9" (H)
Individual Box Dimensions	23.0" (L) x 19.5" (W) x 10.0" (H)
Weight of Individual Printer	20.1 lbs.
Weight of Individual Box	24.9 lbs.
PALLET INFORMATION	
Number of Boxes per Pallet	16
Dimensions (Pallet and Boxes)	40.0" (L) x 48.0" (W) x 44.5" (H)
Dimensions without Pallet	40.0" (L) x 46.0" (W) x 39.0" (H)
Loaded Pallet Weight	448.4 lbs.
DATE	
Availability	September 2011

**SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED.**

- 1 Wireless printing requires a working Ethernet network with wireless 802.11b/g or n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 2 Full HD Movie Print allows printing from HD or Full HD "MOV" movie files created by Canon EOS Digital SLR or PowerShot digital cameras. From PC, or Mac with Intel® processor. Print quality is determined by video resolution. Function does not upscale video resolution. Requires Canon ZoomBrowser EX 6.5 or later, or Canon ImageBrowser 6.5 or later.
- 3 Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/9600 inch at minimum.
- 4 ISO/IEC 24734, 24735 define the default print and copy speed measurement methods. Print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734, excluding time to print the first set. Copy speed is the average of FCOT, ISO/IEC 24735 Annex D. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. See [www.usa.canon.com/tpm](http://www.usa.canon.com/tpm) for additional details.
- 5 Photo print speeds are based on the standard mode driver setting using photo test pattern(s) and select Canon Photo Paper. Print speed measured as soon as first page begins to feed into printer and will vary depending on system configuration, interface, software, document complexity, print mode, types of paper used and page coverage. See [www.usa.canon.com/printspeed](http://www.usa.canon.com/printspeed) for additional details.
- 6 Based on accelerated testing by Canon in dark storage under controlled temperature, humidity and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee the longevity of prints; results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. See [www.usa.canon.com/chromalife100plus](http://www.usa.canon.com/chromalife100plus) for additional details.
- 7 Supported paper types for borderless printing are as follows: Photo Paper Pro Platinum, Photo Paper Plus Glossy II, Photo Paper Plus Semi-gloss, Photo Paper Glossy, Matte Photo Paper and Canon Fine Art Photo Paper "Photo Rag"™.
- 8 Compatible memory cards include SD™ Memory Card, SDHC™, MultiMediaCard®, MultiMediaCard® Plus, CompactFlash® Card, Microdrive®, Memory Stick®, Memory Stick PRO™, Memory Stick Duo™ and Memory Stick PRO Duo™. The following can be used with the addition of a special adapter sold separately: miniSD™ Card, miniSDHC™, microSD™ Card, microSDHC™, RS-MMC™, Memory Stick Micro, xD-Picture Card®, xD-Picture Card® (Type M), xD-Picture Card® (Type H).
- 9 Requires mobile phone equipped with PictBridge technology and a USB cable.
- 10 Requires mobile phone (or other device) equipped with Bluetooth v2.0 technology and optional Canon Bluetooth Unit BU-30. Bluetooth operation depends on the device and software version used. Operating distance is approx. 10 meters but may vary due to obstacles, radio signals, locations where radio interference occurs, magnetic fields from microwave ovens, device sensitivity and/or antenna performance.
- 11 Requires Canon Easy-PhotoPrint for iPhone app, available for free on the App Store, or Canon Easy-PhotoPrint for Android app available for free in the Android Market. Compatible with iPhone 3G, 3GS, 4, iPod touch and Android devices running Android OS 1.6 or later.
- 12 Requires an internet connection.
- 13 For network users, Auto Scan Mode is only available when scanning at a computer using MP Navigator EX software and selecting the 1-click feature then "save to PC".
- 14 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 15 USB flash memory with security enabled may not be used. Requires an extension cable if cannot be attached.
- 16 System requirements vary by application.
- 17 Easy-PhotoPrint Pro is available as a plug-in.
- 18 Easy-Web Print EX requires Internet Explorer 7 or 8 for Windows, Internet Explorer 9 for Windows Vista SP2 (or later) or Windows 7, or Safari 4.0 – 5.0 for Mac OS X v10.5 – 10.6.x.
- 19 Warranty programs are subject to certain conditions and restrictions. See [www.usa.canon.com/support](http://www.usa.canon.com/support) for details.



## CREATIVE PARK PREMIUM

©2011 Canon U.S.A., Inc. Canon, EOS, PowerShot and PIXMA are registered trademarks of Canon Inc. in the United States and may be registered trademarks or trademarks in other countries. IMAGEANYWARE is a trademark of Canon. Microsoft, Windows, Windows Vista, the Windows Vista logo, Windows 7 and the Windows 7 logo are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. Macintosh and Mac are trademarks of Apple Inc., registered in the United States and other countries. The USB-IF logo is a trademark of Universal Serial Bus Implementers Forum, Inc. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The 'Wi-Fi CERTIFIED' logo is a certification mark of the Wi-Fi Alliance. The Wi-Fi Protected Setup Mark is a mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR® partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

**Canon**  
imageANYWARE

